

L Number	Hits	Search Text	DB	Time stamp
19	4	("5337361" "5689626" "5859954"	USPAT	2004/08/18
20	2963	"6526155") PN.	IICDAM.	10:48
20	2963	(358/1.9).ccls.	USPAT; US-PGPUB;	13:26
			EPO; JPO;	
			DERWENT;	
21	110	 (print\$5 adj2 driver\$5) same	IBM_TDB USPAT;	2004/08/18
21	110	(confidential\$5 watermark\$5)	US-PGPUB;	13:27
		, , ,	EPO; JPO;	
			DERWENT;	
22	5	((358/1.9).ccls.) and ((print\$5 adj2	IBM_TDB USPAT;	2004/08/18
		driver\$5) same (confidential\$5	US-PGPUB;	13:28
		watermark\$5))	EPO; JPO;	
1			DERWENT; IBM TDB	
_	4	(("5133919") or ("5689626")).PN.	USPAT;	2004/07/28
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	US-PGPUB;	12:56
			EPO; JPO;	
			DERWENT; IBM TDB	
	2	ep-942355-\$.did.	USPAT;	2004/07/28
			US-PGPUB;	13:48
			EPO; JPO; DERWENT;	
			IBM TDB	
-	4		USPĀT;	2004/07/28
		confidential\$5) with (secret\$5 adj2 operation\$5)	US-PGPUB; EPO; JPO;	13:55
		Operation(3)	DERWENT;	
			IBM_TDB	
-	5		USPAT;	2004/07/28
		confidential\$5) with (secret\$5)	US-PGPUB; EPO; JPO;	13:56
			DERWENT;	
			IBM_TDB	
-	1	((print\$5 adj2 driver\$5) with (watermark\$5 confidential\$5) with	USPAT; US-PGPUB;	2004/07/28
		(secret\$5)) not ((print\$5 adj2 driver\$5)	EPO; JPO;	11.00
		with (watermark\$5 confidential\$5) with	DERWENT;	
<u> </u>	8	<pre>(secret\$5 adj2 operation\$5)) (print\$5 with (secret\$5 adj2</pre>	IBM_TDB USPAT;	2004/07/28
	ľ	operation(\$5))	US-PGPUB;	14:01
		<u> </u>	EPO; JPO;	
			DERWENT;	,
-	1	 1999-573559.NRAN. not ((print\$5 adj2	IBM_TDB USPAT;	2004/07/28
	_	driver\$5) with (watermark\$5	US-PGPUB;	14:02
		confidential\$5) with (secret\$5 adj2	EPO; JPO;	
		operation\$5))	DERWENT; IBM TDB	
-	4	((print\$5 with (secret\$5 adj2	USPAT;	2004/07/28
		operation(5))) not ((print(5 adj2	US-PGPUB;	14:04
		driver\$5) with (watermark\$5 confidential\$5) with (secret\$5 adj2	EPO; JPO; DERWENT;	
	ľ	operation(5))	IBM TDB	
-	4	(printer\$5 adj2 driver\$5) with (secret\$5	USPĀT;	2004/07/28
		adj2 (operation\$5 option\$5 parameter\$5))	US-PGPUB;	14:05
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	4		USPAT;	2004/07/28
		adj2 (operation\$5 option\$5 parameter\$5))	US-PGPUB; EPO; JPO;	14:06
			DERWENT;	
			IBM_TDB	

-	0	((printer\$5 adj2 driver\$5) same (secret\$5	USPAT;	2004/07/28
		<pre>adj2 (operation\$5 option\$5 parameter\$5)))</pre>	US-PGPUB;	14:06
	+	not ((print\$5 adj2 driver\$5) with	EPO; JPO;	
		<pre>(watermark\$5 confidential\$5) with (secret\$5 adj2 operation\$5))</pre>	DERWENT; IBM TDB	
_	10		USPAT;	2004/07/28
		(operation\$5 option\$5 parameter\$5))	US-PGPUB;	14:07
		(operations operant parameters),	EPO; JPO;	11.07
ŀ			DERWENT;	
			IBM TDB	
-	6		USPĀT;	2004/07/28
		(operation\$5 option\$5 parameter\$5))) not	US-PGPUB;	14:13
		((printer\$5 adj2 driver\$5) same (secret\$5	EPO; JPO;	
		adj2 (operation\$5 option\$5 parameter\$5)))	DERWENT;	
		(UCA24420U) DN	IBM_TDB	2004/07/20
-	4	("6424429").PN.	USPAT; US-PGPUB;	2004/07/28 14:16
			EPO; JPO;	14.10
			DERWENT;	
			IBM TDB	
_	8	(("6,445,468") or ("6,149,323") or	USPAT;	2004/07/28
		("6,424,429")).PN.	US-PGPUB;	14:16
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	3		USPAT	2004/07/28
	0	("6,424,429")).PN.	HCDAM.	14:17
-	"	(print\$5 adj2 driver\$5) with ((confidential\$5 watermark\$5) adj2	USPAT; US-PGPUB;	14:19
		(mark\$5 pattern\$5 stamp\$5))	EPO; JPO;	14:19
		(markys pacternes stampes)	DERWENT;	
			IBM TDB	
_	70	(print\$5 adj2 driver\$5) with	USPAT;	2004/07/28
		(confidential\$5 watermark\$5)	US-PGPUB;	14:33
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	24	(print\$5 adj2 driver\$5) with	USPAT;	2004/07/28
		(confidential\$5 watermark\$5) and secret\$5	US-PGPUB;	14:43
			EPO; JPO; DERWENT;	
			IBM TDB	
_	38	((print\$5 adj2 driver\$5) same	USPAT;	2004/07/28
		(confidential\$5 watermark\$5)) not	US-PGPUB;	14:43
		((print\$5 adj2 driver\$5) with	EPO; JPO;	
		(confidential\$5 watermark\$5))	DERWENT;	į l
		/// *** ** ** ** ** ** ** ** ** ** ** **	IBM_TDB	0004/07/00
-	10	(((print\$5 adj2 driver\$5) same	USPAT;	2004/07/28
		<pre>(confidential\$5 watermark\$5)) not ((print\$5 adj2 driver\$5) with</pre>	US-PGPUB; EPO; JPO;	14:49
		((print\$5 ad]2 driver\$5) with (confidential\$5 watermark\$5))) and	DERWENT;	
1		Qad<20000224	IBM TDB	
-	5	(printer\$5 adj2 driver\$5) and (secret\$5	USPAT;	2004/07/28
		adj2 operation\$5)	US-PGPUB;	14:55
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	8	(printer\$5 adj2 driver\$5) with (secret\$5)	USPAT;	2004/07/28
	1		US-PGPUB;	14:58
			EPO; JPO;	
			DERWENT; IBM TDB	
_	5	(print\$5 adj2 driver\$5) with	USPAT;	2004/08/17
		(confidential\$5 watermark\$5) same	US-PGPUB;	13:40
		(secret\$5)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	1 18 = ====	USPAT;	2004/07/28
		(confidential\$5 watermark\$5) same (hid\$5	US-PGPUB;	15:10
		keep\$5)	EPO; JPO;	
			DERWENT;	
L	l		IBM TDB	<u></u>

Search History 8/18/04 1:28:20 PM Page 2

			4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	**************************************	2004/07/20
-		3	(print\$5 adj2 driver\$5) with	USPAT; US-PGPUB;	2004/07/28 15:30
			<pre>(confidential\$5 watermark\$5) same (hold\$5)</pre>	EPO; JPO;	15:30
			(1101423)	DERWENT;	
				IBM TDB	
_		2	("6125748").PN.	USPĀT;	2004/08/17
		_	,	US-PGPUB;	11:12
				EPO; JPO;	
				DERWENT;	1
				IBM_TDB	
-		3	("5751923" "5809879" "5873659").PN.	USPAT	2004/08/17
		_			10:52
-		2	(printer\$5 adj2 (driver\$5 dialog\$5	USPAT;	2004/08/17
			setting\$5)) with (confidential\$5	US-PGPUB;	11:13
			secret\$5) and (stencil\$5 adj2 printer\$5)	EPO; JPO; DERWENT;	
				IBM TDB	
_		0	(printer\$5 adj2 (driver\$5 dialog\$5	USPAT;	2004/08/17
			setting\$5)) with (hold\$5) and (stencil\$5	US-PGPUB;	11:14
- 1			adj2 printer\$5)	EPO; JPO;	
ł				DERWENT;	
				IBM_TDB	
-		1	(printer\$5 adj2 (driver\$5 dialog\$5	USPAT;	2004/08/17
			setting\$5)) same (hold\$5 near5 secret\$5)	US-PGPUB;	11:14
			and (stencil\$5 adj2 printer\$5)	EPO; JPO;	
				DERWENT;	
		1	(printer\$5 adj2 (driver\$5 dialog\$5	<pre>IBM_TDB USPAT;</pre>	2004/08/17
-		1	(printerso adj2 (driverso dialogso setting\$5))	USPAT; US-PGPUB;	11:14
			and (stencil\$5 adj2 printer\$5)	EPO; JPO;	11.14
			and (boomerry days primosity)	DERWENT;	
				IBM TDB	
–		0	(printer\$5 adj2 (driver\$5 dialog\$5	USPAT;	2004/08/17
			setting\$5)) same(hold\$5 near5	US-PGPUB;	11:14
			confidential\$5) and (stencil\$5 adj2	EPO; JPO;	
			<pre>printer\$5)</pre>	DERWENT;	
			/ / . AF 110 / 1	IBM_TDB	0004/00/45
-		2	(printer\$5 adj2 (driver\$5 dialog\$5	USPAT;	2004/08/17
1			<pre>setting\$5)) same(secret\$5) and (stencil\$5 adj2 printer\$5)</pre>	US-PGPUB; EPO; JPO;	11:12
1			adjz princeras,	DERWENT;	
i				IBM TDB	
_		17	(printer\$5 adj2 driver\$5) with (stencil\$5	USPAT;	2004/08/17
			adj2 printer\$5)	US-PGPUB;	11:15
				EPO; JPO;	
				DERWENT;	
		_	/mminton05 - 440 duine ::05)ith /-t- 1305	IBM_TDB	2004/00/17
-		. 2	(printer\$5 adj2 driver\$5) with (stencil\$5 adj2 printer\$5) and (secret\$5 adj2	USPAT; US-PGPUB;	2004/08/17
-			adj2 printer\$5) and (secret\$5 adj2 operation\$5)	EPO; JPO;	11:15
			operation,	DERWENT;	
				IBM TDB	
-		2	(printer\$5 adj2 driver\$5) with (stencil\$5	USPAT;	2004/08/17
			adj2 printer\$5) and (secret\$5)	US-PGPUB;	11:16
				EPO; JPO;	
				DERWENT;	
	•		(IBM_TDB	0004/00/25
-	!	2	(print\$5 adj2 driver\$5) with (stencil\$5	USPAT;	2004/08/17
			adj2 printer\$5) and (secret\$5)	US-PGPUB; EPO; JPO;	11:16
				DERWENT;	
				IBM TDB	
_		2	(print\$5 adj2 driver\$5) same (stencil\$5	USPAT;	2004/08/17
			adj2 printer\$5) and (secret\$5)	US-PGPUB;	11:16
			, , ,	EPO; JPO;	
				DERWENT;	
				IBM_TDB	
-		17	11	USPAT;	2004/08/17
			adj2 printer\$5)	US-PGPUB;	11:19
				EPO; JPO;	
				DERWENT;	
L				IBM TDB	

Search History 8/18/04 1:28:20 PM Page 3

				V
-	21	(print\$5 adj2 (driver\$5 setting\$5	USPAT;	2004/08/17
j		dialog\$5)) with ((secret\$5 confidential\$5	US-PGPUB;	12:42
		retain\$5) near4 data\$5)	EPO; JPO;	
			DERWENT;	I
			IBM_TDB	
-	2	("20020036790").PN.	USPAT;	2004/08/17
			US-PGPUB;	12:42
			EPO; JPO;	
			DERWENT;	
			IBM TDB	i l
l _	4	(print\$5 adj2 (driver\$5 setting\$5	USPĀT;	2004/08/17
	1	dialog\$5)) same (confidential\$5 secret\$5	US-PGPUB;	12:43
ł	ł	retain\$5) adj3 (operation\$5)	EPO; JPO;	12.45
		recarnas, adjs (operacionas)	DERWENT;	
			IBM_TDB	
-	187	(print\$5 adj2 (driver\$5 setting\$5	USPAT;	2004/08/17
	İ	dialog\$5)) same (confidential\$5 retain\$5)	US-PGPUB;	12:44
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	17	(print\$5 adj2 (driver\$5 setting\$5	USPĀT;	2004/08/17
		dialog\$5)) with (confidential\$5)	US-PGPUB;	13:02
		and the state of t	EPO; JPO;	
			DERWENT;	
	1.0	//#5 032 200#) /#5 750 110#)	IBM_TDB	0004/00/17
_	10	(("5,832,298") or ("5,758,110") or	USPAT;	2004/08/17
		("5,442,732") or ("6,182,039") or	US-PGPUB;	12:57
		("5,504,687")).PN.	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	33	(print\$5 adj2 (driver\$5 setting\$5	USPAT;	2004/08/17
		dialog\$5)) same (confidential\$5)	US-PGPUB;	13:05
			EPO; JPO;	
ł			DERWENT;	
			IBM TDB	
1_	16	((print\$5 adj2 (driver\$5 setting\$5	USPAT;	2004/08/17
-	10			13:02
		dialog\$5)) same (confidential\$5)) not	US-PGPUB;	13:02
		((print\$5 adj2 (driver\$5 setting\$5	EPO; JPO;	
		dialog\$5)) with (confidential\$5))	DERWENT;	
			IBM_TDB	
-	3	((E = = = = (= = =) = (= = = = = = = = =	USPAT;	2004/08/17
		dialog\$5)) same (confidential\$5)) not	US-PGPUB;	13:07
		((print\$5 adj2 (driver\$5 setting\$5	EPO; JPO;	
		dialog\$5)) with (confidential\$5))) and	DERWENT;	
		@ad<20000224	IBM TDB	
-	0	(print\$5 adj2 (driver\$5 setting\$5	USPAT;	2004/08/17
		dialog\$5)) and (secret\$5 adj2 retain\$5)	US-PGPUB;	13:06
			EPO; JPO;	' ' '
			DERWENT;	
			IBM TDB	
_		(print\$5 adj2 (driver\$5 setting\$5	USPAT;	2004/08/17
-	"		•	
		dialog\$5)) and (secret\$5 adj2	US-PGPUB;	13:07
		operation\$5)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(print\$5 adj2 (driver\$5 setting\$5	USPAT;	2004/08/17
		dialog\$5)) same (confidential\$5 adj2	US-PGPUB;	13:07
		(retain\$5))	EPO; JPO;	
			DERWENT;	
	1		IBM TDB	
_	22	(print\$5 adj2 (driver\$5 setting\$5	USPAT;	2004/08/17
	"	dialog\$5)) same (secret\$5)	US-PGPUB;	13:59
		ararogys) same (secrets)		13.39
			EPO; JPO;	
			DERWENT;	
	_	l., , , , , , , , , , , , , , , , , , ,	IBM_TDB	
-	5	1 (12 1	USPAT;	2004/08/17
		dialog\$5)) same (secret\$5)) and	US-PGPUB;	13:13
		@ad<20000224	EPO; JPO;	
	1		DERWENT;	
	1		IBM TDB	
	-			

=	21	(print\$5 adj2 (driver\$5 setting\$5	USPAT;	2004/08/17
		dialog\$5)) with (retention\$5)	US-PGPUB;	13:13
			EPO; JPO; DERWENT;	
	1		IBM TDB	· · ·
_	2	((print\$5 adj2 (driver\$5 setting\$5	USPAT;	2004/08/17
	-	dialog\$5)) with (retention\$5)) and	US-PGPUB;	17:55
į		@ad<20000224	EPO; JPO;	17.00
			DERWENT;	
			IBM TDB	
_	12	(stencil\$5 with secret\$5) and	USPĀT;	2004/08/17
		@ad<20000224	US-PGPUB;	14:14
	İ		EPO; JPO;	
}			DERWENT;	
			IBM_TDB	
-	19	stencil\$5 with secret\$5	USPAT;	2004/08/17
			US-PGPUB;	13:41
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	2004/00/17
-	5	stencil\$4 adj2 printer\$5 same secret\$5	USPAT; US-PGPUB;	2004/08/17
			EPO; JPO;	13.47
			DERWENT;	
			IBM TDB	
_	0	stencil\$4 adj2 printer\$5 and (secret\$5	USPAT;	2004/08/17
		adj2 setting\$5)	US-PGPUB;	13:42
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	12	stencil\$4 adj2 printer\$5 and (secret\$5)	USPAT;	2004/08/17
			US-PGPUB;	13:42
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	0004400445
-	7	(~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	USPAT;	2004/08/17
		not (stencil\$4 adj2 printer\$5 same	US-PGPUB;	13:44
		secret\$5)	EPO; JPO; DERWENT;	
			IBM TDB	
_	2	"2000233559"	USPAT;	2004/08/17
	_	200020000	US-PGPUB;	13:46
			EPO; JPO;	20110
			DERWENT;	
			IBM_TDB	
_	17	(print\$5 adj2 driver\$5) with	USPAT;	2004/08/17
	1	(confidential\$5 watermark\$5) same	US-PGPUB;	13:58
	1	(stor\$5)	EPO; JPO;	
			DERWENT;	
		/+ non-afonce - 243 /	IBM_TDB	0004/00/17
-	0	(transfer\$5 adj3 (print\$5 adj2 feature\$5)) with (print\$5 adj2 driver\$5)	USPAT;	2004/08/17
		reacure;5); with (print;5 adj2 driver;5)	US-PGPUB; EPO; JPO;	13:59
			DERWENT;	
			IBM TDB	
_	3	 (print\$5 adj2 (driver\$5 setting\$5	USPAT;	2004/08/17
		dialog\$5)) same (confidential\$5 conceal\$5	US-PGPUB;	14:01
		hidden\$5) adj2 (setting\$5 operation\$5	EPO; JPO;	
		attribut\$5)	DERWENT;	
			IBM TDB	
-	1	(print\$5 adj2 (driver\$5 setting\$5	USPAT;	2004/08/17
		dialog\$5)) with (featur\$5 same retain\$5)	US-PGPUB;	14:02
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	10	(print\$5 adj2 (driver\$5 setting\$5	USPAT;	2004/08/17
		dialog\$5)) same (featur\$5 same retain\$5)	US-PGPUB;	14:04
			EPO; JPO;	
			DERWENT;]
L	<u> </u>	<u></u>	IBM_TDB	

-	0	(print\$5 adj2 (attribut\$5)) with	USPAT;	2004/08/17
		(secret\$5)	US-PGPUB;	14:04
	İ		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	558	(print\$5 adj2 (driver\$5 setting\$5	USPAT;	2004/08/17
		dialog\$5 attribut\$5)) with (prevent\$5	US-PGPUB;	17:34
		prohibit\$5)	EPO; JPO;	
İ		•	DERWENT;	
			IBM_TDB	l
-	0	(print\$5 adj2 (driver\$5 setting\$5	USPAT;	2004/08/17
		dialog\$5 attribut\$5)) with ((prevent\$5	US-PGPUB;	14:08
		prohibit\$5) adj2 (featur\$5))	EPO; JPO;	
			DERWENT;	1
			IBM_TDB	1
-	98	(user\$5 adj2 interfac\$5) with secret\$5	USPAT;	2004/08/17
			US-PGPUB;	14:06
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3178	(user\$5 adj2 interfac\$5 display\$5) with	USPAT;	2004/08/17
1		secret\$5	US-PGPUB;	14:06
1			EPO; JPO;	
			DERWENT;	
		[,	IBM_TDB	0004/00/27
-	144	(user\$5 adj2 interfac\$5 display\$5) with	USPAT;	2004/08/17
		secret\$5 same print\$5	US-PGPUB;	14:06
			EPO; JPO;	į
			DERWENT;	
		/ AE 110 1	IBM_TDB	0004/00/17
-	9	(user\$5 adj2 interfac\$5 display\$5) with	USPAT;	2004/08/17
		secret\$5 same print\$5 same driver\$5	US-PGPUB;	14:08
	1		EPO; JPO;	1
			DERWENT;	
			IBM_TDB	
-	32	(print\$5 adj2 (driver\$5 setting\$5	USPAT;	2004/08/17
,		dialog\$5 attribut\$5)) with (printer\$5	US-PGPUB;	14:13
		adj2 featur\$5)	EPO; JPO;	
			DERWENT;]
	١ ,	//	IBM_TDB	2004/00/17
-	0	(incorporat\$5 adj4 (print\$5 adj2	USPAT;	2004/08/17
		featur\$5)) same (printer\$5 adj2 driver\$5)	US-PGPUB;	14:13
			EPO; JPO;	
			DERWENT; IBM TDB	
	0	/thoughoute with /nnintoute adia	USPAT;	2004/08/17
1 -	1	(transfer\$5 with (printer\$5 adj2 featur\$5)) with driver\$5	US-PGPUB;	14:14
1		Teardidall Mini diiverda	EPO; JPO;	1 - 3 - 1 - 3
1			DERWENT;	
1]		IBM TDB	
_	15	((print\$5 adj2 (driver\$5 setting\$5	USPAT;	2004/08/17
	1 13	(\pi\) dialog\$5 attribut\$5)) with (printer\$5	US-PGPUB;	17:56
1		adj2 featur\$5)) and @ad<20000224	EPO; JPO;	- / • 5 5
		day = Touculyoff and Gad > 20000224	DERWENT;	
1			IBM TDB	
_	0	(replac\$5 adj2 printer\$5 adj2 featur\$5)	USPAT;	2004/08/17
		same (printer\$5 adj2 driver\$5)	US-PGPUB;	14:27
		Table The state PO; JPO;		
1	1		DERWENT;	
1			IBM TDB	j l
-	4	(printer\$5 adj2 driver\$5) with (printer\$5	USPAT;	2004/08/17
1	1	adj2 featur\$5) same (transfer\$5 replac\$5)	US-PGPUB;	17:34
1			EPO; JPO;	
	[DERWENT;	
1			IBM TDB	
-	0	(print\$5 adj2 (driver\$5 setting\$5	USPAT;	2004/08/17
1		dialog\$5 attribut\$5)) and (confidential\$5	US-PGPUB;	17:38
		secret\$5) adj2 (settting\$4)	EPO; JPO;	
	-	, ,, , ,,	DERWENT;	
			IBM_TDB	
		I		

-	18	(print\$5 adj2 (driver\$5 setting\$5	USPAT;	2004/08/17
		dialog\$5 attribut\$5)) and (confidential\$5	US-PGPUB;	17:40
		secret\$5) adj2 (operation\$5 set\$5	EPO; JPO;	
		attribut\$5)	DERWENT;	·
	_		IBM_TDB	
-	3	"2002091742"	USPAT;	2004/08/17
			US-PGPUB;	17:41
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	"20020036790"	USPAT;	2004/08/17
			US-PGPUB;	17:54
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	44	(((print\$5 adj2 (driver\$5 setting\$5	USPAT;	2004/08/17
		dialog\$5 attribut\$5)) with (stencil\$5))	US-PGPUB;	18:04
		and @ad<20000224) and @ad<20000224	EPO; JPO;	
		and cad loos of Elif and cad loos of Elif	DERWENT;	
			IBM TDB	
_ :	44	 ((print\$5 adj2 (driver\$5 setting\$5	USPAT;	2004/08/17
-	44	dialog\$5 attribut\$5)) with (stencil\$5))		
			US-PGPUB;	18:12
		and @ad<20000224	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	11	(print\$5 adj2 driver\$5) with (control\$5)	USPAT;	2004/08/18
		same (stencil\$5)	US-PGPUB;	13:27
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	((print\$5 adj2 driver\$5) with (control\$5)	USPAT;	2004/08/17
		same (stencil\$5)) and @ad<20000224	US-PGPUB;	18:12
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
l –	3	("5751923" "5809879" "5873659").PN.	USPAT	2004/08/17
1				18:08
-	4	6125748.URPN.	USPAT	2004/08/17
				18:10
-	14	(print\$5 adj2 driver\$5) same (control\$5)	USPAT;	2004/08/17
		same (stencil\$5)	US-PGPUB;	18:12
	1		EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	2	((print\$5 adj2 driver\$5) same (control\$5)	USPAT;	2004/08/17
	_	same (stencil\$5)) and @ad<20000224	US-PGPUB;	18:25
		Same (Scencerys); and Gaux20000224	EPO; JPO;	10.23
	1		DERWENT;	
			IBM TDB	
_	53	((print\$5 adj2 (driver\$5 setting\$5	USPAT;	2004/08/17
-	33			
		dialog\$5 attribut\$5)) same (stencil\$5)) and @ad<20000224	US-PGPUB;	18:14
		and @ad<20000224	EPO; JPO;	
	1		DERWENT;	
	_	1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	IBM_TDB	
-	9	(((print\$5 adj2 (driver\$5 setting\$5	USPAT;	2004/08/17
		dialog\$5 attribut\$5)) same (stencil\$5))	US-PGPUB;	18:13
		and @ad<20000224) not (((print\$5 adj2	EPO; JPO;	
		(driver\$5 setting\$5 dialog\$5 attribut\$5))	DERWENT;	
		with (stencil\$5)) and @ad<20000224)	IBM_TDB	
-	0	\F \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	USPAT;	2004/08/17
		adj2 (printer\$5 adj2 featur\$5))	US-PGPUB;	18:15
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	5	(print\$5 adj2 driver\$5) with (control\$5	USPAT;	2004/08/17
		<pre>with (printer\$5 adj2 featur\$5))</pre>	US-PGPUB;	18:24
			EPO; JPO;	
	i		DERWENT;	
			IBM TDB	
	<u> </u>	I		L

	8	(print\$5 adj2 driver\$5) with (control\$5	USPAT;	2004/08/17
_	8	with (printer\$5 adj2 capabilit\$5\$5))	US-PGPUB;	18:23
		with (printers adjz capability)	EPO; JPO;	10.23
			DERWENT;	
			IBM TDB	
_	2	"11065780"	USPAT;	2004/08/17
	2	11005700	US-PGPUB;	18:23
			EPO; JPO;	10.23
İ			DERWENT;	
.			IBM TDB	
_	1	(print\$5 adj2 driver\$5) with (command\$5	USPAT;	2004/08/17
1	1	with (printer\$5 adj2 featur\$5))	US-PGPUB;	18:25
i		with (printerys adjz reacurys)	EPO; JPO;	1 10.23
i			DERWENT;	
			IBM TDB	1
_	7	(print\$5 adj2 driver\$5) same command\$5	USPAT;	2004/08/17
	•	same (printer\$5 adj2 featur\$5)	US-PGPUB;	18:26
		bame (princerts adje reasarts)	EPO; JPO;	10.20
			DERWENT;	
			IBM TDB	
-	3	((print\$5 adj2 driver\$5) same command\$5	USPAT;	2004/08/17
		same (printer\$5 adj2 featur\$5)) and	US-PGPUB;	18:26
		@ad<20000224	EPO; JPO;	
			DERWENT;	
ĺ			IBM TDB	
-	13	(print\$5 adj2 driver\$5) same control\$5	USPAT;	2004/08/17
İ		same (printer\$5 adj2 featur\$5)	US-PGPUB;	18:26
İ			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	6	((print\$5 adj2 driver\$5) same control\$5	USPAT;	2004/08/17
		same (printer\$5 adj2 featur\$5)) and	US-PGPUB;	18:26
1		@ad<20000224	EPO; JPO;	
			DERWENT;	
			IBM TDB	